EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

0075/797/162/05/18/0816 **Certificate N°**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :	HONEYWELL SAFETY PRODUCTS E	UROPE
	Immeuble Edison ZI-Paris Nord II	33, Rue des Vanesses 95 958
	ROISSY CDG CEDEX	
	France	
Description		
PPE Type :	protective glove against mechanic	cal risks, thermal risks
Product reference :	20 941 41	
Article code :	-	
Glove description :	5 fingers knitted glove. 100% kevl	ar [®] , blue latex coating on the
	palm and fingertips.Overlock: T07	
	T10-white	
Available sizes :	07 08 09 10	
Reference st	Aracut® 20 941 41 XX EN 420 EN 388 EN407 EN 420 EN 388 EN407 3X44C X2XXXX	Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France Address has to be printed on back side of the gloves or on a label inside the gloves.
EN 420:2003+A1:2009		
EN 388:2016		3 X 4 4 C
The levels of performance have b		ove has not been submitted to the test or the test to be suitable for the glove design or material.
EN 407:2004		X2XXXX
Full description of the PPE, reference in manufacturer's technical file index 02 NOTA : Any modification to new items of th	e personal protective equipment object of this EU type approval certifica r the deliverance of the EU type approval certificate (change of adress, c lex V §7.2 of Regulation 2016/425. Date of first issu Update 01 from	ermation given on the product are detailed in the ate or any modification of the information contained in the hange of company status) should be brought to the attention the : 09 May 2018 m : 07 May 2019 te : 09 May 2023
In application of the Regulation 2016/425		www.ctcgroupe.com
parliament and the Council of 9th Man to Personal Protective Equipment and	ch 2016 related	cemarking@ctcgroupe.con

to Personal Protective Equipment and repealing the Directive 89/686/EEC.

Original CTC

MARKIN

OTIFIED BODY n° 0075

DV CT

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	20 941 41
Article code	:	
Technical file index	:	02
Last update	:	MAY 2019

IDENTIFICATION

Reference of the product : Article code :	:	20 941 41
Basic Model		
Technical file index :	:	02
Last update :	:	MAY 2019

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel : 01.49.90.79.79 fax : 01.49.90.79.80

Factory :

ONWELL SUCCESS CORP

2F, N°5, Lane 79, Mu-Hsin Road, sec 2 00000 TAIPEI

TAIWAN

fax: 00 886 2 29378807

WUXI TAXTE KENMOST GLOVES CO LTD DANGKOU TOWN - WUXI CITY - JIANGSU PROVINCE CHINA tel: fax:

SPERIAN PERSONAL PROTECTIVE EQUIPEMENT (Nantong) Co.LTD Tonghu Road, Rudong Industrial New area - Nantong City - Jiangsu Province CHINA tel: +86-513-8456999 fax: +86-513-84536318

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD. North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong China tel: fax:

GLOVE DESCRIPTION

General glove description :

5 fingers knitted glove. 100% kevlar®, blue latex coating on the palm and fingertips.Overlock: T07-red, T08-blue, T09-yellow, T10-white

type of coating finish : crinckle

Visual description (picture back and palm sides) :



Field of use

mechanical, thermal

Industry, Automotive and Part Manufacturer, Building and Construction, Glass Industries, Iron and steel industry, Metal steel, Paper Industries

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE		 ✓ Standard ✓ Instruction for us ✓ Marking 	
§1.4	Manufacturer's instructions and information is available	\	Standard Standard Marking	
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	>	Standard Instruction for us Marking	
§2.5	PPE which may be caught up during use	\checkmark	Standard Instruction for us Marking	
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	 ✓ Standard ✓ Instruction for us ✓ Marking 	
§2.14	Multi-risk PPE	\	 ✓ Standard ✓ Instruction for us ✓ Marking 	
§3.3	The PPE is intended to protect against mechanical injuries	7	 ✓ Standard ✓ Instruction for us ✓ Marking 	
§3.6	Protection against heat and/or fire		 ✓ Standard ✓ Instruction for us ✓ Marking 	

Available sizes :

Minimum length of glove (mm)	Sizes
245	07
250	08
260	09
270	10

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2915225	Natural	kevlar 22S		10	
raim	2916144	Blue	Latex			1,5/1,8mm
Back	2915225	Natural	kevlar 22S		10	
Cuff	2915225	Natural	kevlar 22S		10	
Cull	2915161	Natural	Elastic rubber		10	
Binding	2915151	red/blue/ye llow/white	PES			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed mechanical risks, thermal risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

5

Dexterity : Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	Х
Tear strength resistance	4
Puncture resistance	4
Cut Resistance method (EN ISO 13997)	С
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Thermal hazard EN 407 : 2004

Protection offered	Performance levels
Burning behaviour	Х
Contact heat	2
Convective heat	х
Radiant heat	Х
Small splashes of molten metal	х
Large quantities of molten metal	Х

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	L170612077_1 L170612079_1 1202-2198/1	
EN 388	L160202524_1 L170612077_1 L171020305_1	
EN 407	L180305182_1	
Other	L170612079_1 L150609368_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo **(** Glove's reference : 20 941 41 Article Code : -Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or Serial number :

Marking example :



Method of marking on the glove :

Heat transfert

Packaging :

10 pairs per bundle, 10 bundles per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available on : www.honeywellsafety.com

MEANS OF CONTROL

	PU gloves	NBR/latex gloves	knitted gloves
abrasion	1/day	1/day	1/week
cut	1/batch	1/batch	1/week
tear	1/batch	1/batch	1/week
puncture	1/batch	1/batch	1/week
DMF	1/week(per line)		