

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/162/03/18/0513

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958

France

Description

PPE Type: protective glove against mechanical risks, thermal risks

Product reference: RQE 9607 A

Glove description: 5 Fingers gloves, 100% terry cotton.

Available sizes : TU

Pictures:





RQE 9607 A XX

(€ ☐**i**

EN 388 EN40

2X31C X1XX

Address:

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Address has to be printed on back side of the gloves or on a label inside the

Reference standard:

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

The levels of performance have been measured on the palm

2 X 3 1 C

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

EN 407:2004 X 1 X X X X

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from October 2018

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by Lionel Gaudillere PPE certification manager

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related

to Personal Protective Equipment and repealing the

Directive 89/686/FFC.



Date of first issue: 15 October 2018 End of validity date: 15 October 2023





www.ctcgroupe.com

cemarking@ctcgroupe.com

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : RQE 9607 A

Article code :

Technical file index : 01

Last update : October 2018

IDENTIFICATION

Reference of the product: : RQE 9607 A

Article code: :

Basic Model

Technical file index: : 01

Last update : : October 2018

Manufacturer:

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel: 01.49.90.79.79 fax: 01.49.90.79.80

Factory:

SHAHBAZ GARMENTS

42-M BLOCK 6 DR.MAHMOOD HUSSAI KARACHI 2

Pakistan

tel:

fax:

GLOVE DESCRIPTION

General glove description:

5 Fingers gloves, 100% terry cotton.

type of coating finish: no coating

Visual description (picture back and palm sides):



Field of use

mechanical, thermal Industry: Automotive and Part Manufacturer Glass Industries Iron and steel industry

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	V	✓ Standard ✓ Instruction for use ✓ Marking	
§1.4	Manufacturer's instructions and information is available	V	Standard Instruction for use Marking	
§2.5	PPE which may be caught up during use	7	Standard Instruction for use Marking	
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standard ✓ Instruction for use ✓ Marking	
§2.14	Multi-risk PPE	7	✓ Standard ✓ Instruction for use ✓ Marking	
§3.3	The PPE is intended to protect against mechanical injuries	V	✓ Standard ✓ Instruction for use ✓ Marking	
§3.6	Protection against heat and/or fire	V	Standard Instruction for use Marking	

Available sizes :

Minimum length of glove (mm)	Sizes	
370	TU	

Glove constitution:

	Reference	Color	Material	Surfaci c mass	Gauges	Thickness
Palm	2912204	Natural	100% Terry Cotton	1000g/ m²		
Back	2912204	Natural	100% Terry Cotton	1000g/ m ²		
Cuff	2912204	Natural	100% Terry Cotton	1000g/ m²		
Bindin a	2918025	Brown	Cotton bias			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed for mechanical risks, thermal risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity: 2 Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006

and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2016

Protection offered	Performance levels	
Abrasion resistance	2	
Blade cut resistance	X	
Tear strength resistance	3	
Puncture resistance	1	
Cut Resistance method (EN ISO 13997)	С	
Impact Protection	-	

The levels of performance have been measured on the palm

Thermal hazard EN 407: 2004

Protection offered	Performance levels
Burning behaviour	Х
Contact heat	1
Convective heat	Х
Radiant heat	Х
Small splashes of molten metal	Х
Large quantities of molten metal	Х

[«] X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 +	L171122424_1 L170713452_1 L170713454_1	
EN 388	L170713452_1 L160407152_1	
EN 407	L170713452_1	
Other	L170713454_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference: RQE 9607 A


Article Code : Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram
Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number:

Marking example:





Address has to be printed on back side of the gloves or on a label inside the gloves.

Method of marking on the glove :

Label sewn

Packaging:

6 pairs per bundle, 10 bundles per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available on: https://doc.honeywellsafety.com/

MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1 Major defects : NQA = 1,5 / Minor defects : NQA = 10.

Sampli	ng Plan	Quantity of acceptable defects		
Lot Quantity	Sample quantity	Minor Defects	Major Defects	
110 to 200	D8	2	0	
201 to 500	F 20	5	1	
501 to 1200	G 30	7	1	
1201 to 10000	J 80	14	3	
10000	K 125	21	5	