EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/162/12/18/2916 Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment : HONEYWELL SAFETY PRODUCTS EUROPE Manufacturer : Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY France Description protective glove against mechanical risks, thermal risks, cold risks **PPE Type : Product reference :** 22 320 23 Article code : 5 fingers Acrylic knitted glove. 3/4 latex coating, smooth finishing. **Glove description :** T07-Red / T08 - Blue / T09-Yellow / T10-White /T11-orange 07 08 09 10 11 Available sizes : **Pictures**: Address: Honeywell HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II Up & Down I-Viz 33 Rue des Vanesses 22 320 23 XX 95 958 ROISSY CDG CEDEX France EN 420 EN 388 EN407 EN 511 <u>d</u>= XX. CE Address has to be printed on back side of the gloves or on a label inside the 1231X X2XXXX X10 gloves. **Reference standard :** Levels of performance / class of protection EN 420:2003+A1:2009 EN 388:2016 1231X « X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. EN 407:2004 X 2 X X X X X10 EN 511 : 2006 At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from December 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by Maxence DREVET Project Certification Manager

Date of first issue : 11 December 2018 End of validity date : 11 December 2023 Update 01 : 09 December 2019



Original CTC

TIFIED BOD

n° 0075

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	22 320 23
Article code	:	
Technical file index	:	02
Last update	:	December 2019

IDENTIFICATION

Reference of the product : Article code :	:	22 320 23
Basic Model		
Technical file index :	:	02
Last update :	:	December 2019

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel : 01.49.90.79.79 fax : 01.49.90.79.80

Factory :

SPERIAN PERSONAL PROTECTIVE EQUIPMENT (Nantong) Co. LTD

Tonghu Road, Rudong Industrial New area - Nantong City - Jiangsu Province

CHINA

tel: + 86-513-8456999 fax: +86-513-84536318

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.

North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong China tel:

fax:

GLOVE DESCRIPTION

General glove description :

5 fingers Acrylic knitted glove. 3/4 latex coating, smooth finishing. T07-Red / T08 - Blue / T09-Yellow / T10-White /T11-orange

type of coating finish : crinckle

Visual description (picture back and palm sides) :



Field of use

mechanical, cold, thermal,Agriculture for mechanical risk,Building and Construction,Catering,Energy or Electricity,Food Industries,Green Spaces,Iron and steel for metal handling,Logistics,Offshore,Ship Building,Telecoms,Utilities,Wood industries for wood handling

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	√	 ✓ Standard ✓ Instruction for use ✓ Marking
§1.4	Manufacturer's instructions and information is available	7	Standard Instruction for use Marking
§2.5	PPE which may be caught up during use	\checkmark	Standard Standard Marking
§2.14	Multi-risk PPE	7	 ✓ Standard ✓ Instruction for use ✓ Marking
§3.3	The PPE is intended to protect against mechanical injuries	7	 ✓ Standard ✓ Instruction for use ✓ Marking
§3.6	Protection against heat and/or fire	7	 ✓ Standard ✓ Instruction for use ✓ Marking
§3.7	Protection against cold	\checkmark	 ✓ Standard ✓ Instruction for use ✓ Marking

Available sizes :

Minimum length of glove (mm)	Sizes
260	07
265	08
270	09
280	10
291	11

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Delas	2915512	Yellow	Acrylic yarn		7	
Palm	2916145	Black	Latex			2,3mm
Back	2915512	Yellow	Acrylic yarn		7	
Dack	2916145	Black	Latex			2,3mm
Cuff	2915512	Yellow	Acrylic yarn		7	
Cull	2915165	Natural	Elastic rubber		7	
Binding	2915151	Red/Blue/ Yellow/W hite /Orange	Polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks, thermal risks, cold risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

5

Dexterity :

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	1
Blade cut resistance	2
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	Х
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Thermal hazard EN 407 : 2004

Protection offered	Performance levels
Burning behaviour	Х
Contact heat	2
Convective heat	Х
Radiant heat	Х
Small splashes of molten metal	Х
Large quantities of molten metal	Х

Cold hazard EN 511 : 2006

	Minimum	Performance obtained
Abrasion resistance	 if level < 2 to convective cold or contact cold. if level ≥ 2 to convective cold or contact cold. 	1
Tear strength	 if level < 2 to convective cold or contact cold. if level ≥ 2 to convective cold or contact cold. 	3
Flexibility behaviour for coated materials	no crack	not conform
Extreme cold flexibility for glove resistant	no crack	not conform
Convective cold	_	Х
Contact cold		1
Water penetration	0 or 1	0

TEST REPORTS


Laboratory	CTC	Other
EN 420 + innocuousness	L170815903_1 L170815904_1 L170508925_1 L150609368_1 L191123706_1	
EN 388	L170508924_1 L170815903_1	
EN 407	L170815903_1	
EN 511	L170815905_1 L171019934_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo **(** Glove's reference : 22 320 23 Article Code : Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or Serial number :

Marking example :



Method of marking on the glove :

Heat transfert

Packaging :

10 pairs per bundles, 10 bundles per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available on : https://doc.honeywellsafety.com

MEANS OF CONTROL

	PU gloves	NBR/latex gloves	knitted gloves
abrasion	1/day	1/day	1/week
cut	1/batch	1/batch	1/week
tear	1/batch	1/batch	1/week
puncture	1/batch	1/batch	1/week
DMF	1/week(per line)		