

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/162/04/18/0623

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958

ROISSY CDG CEDEX

France

Description

PPE Type: protective glove against mechanical risks

Product reference: 22 322 30

Article code: -

Glove description: 5 fingers knitted glove. White polyamid yarn, with Grey nitrile coating on

the palm and fingertips. The overlock color indicate the size: T07-Red, T08-

4121X

Blue, T09-Yellow, T10-White

Available sizes : 07 08 09 10

Pictures:





Address:

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France

-

Address has to be printed on back side of the gloves or on a label inside the gloves.

Reference standard:

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

4121X

The levels of performance have been measured on the palm « X »indicates that the glove has not be

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from MAY 2019

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by Maxence DREVET

Project Certification Manager

Date of first issue: 11 April 2018 Update 01 from: 15 May 2019 End of validity date: 21 April 2023



Traval

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



Original CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/FEC.

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : 22 322 30

Article code :

Technical file index : 02

Last update : MAY 2019

IDENTIFICATION

Reference of the product: : 22 322 30

Article code: :

Basic Model

Technical file index: : 02

Last update: : MAY 2019

Manufacturer:

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel: 01.49.90.79.79 fax: 01.49.90.79.80

Factory:

SPERIAN PERSONAL PROTECTIVE EQUIPMENT (Nantong) Co. LTD

Tonghu Road, Rudong Industrial New area - Nantong City - Jiangsu Province

CHINA

tel: + 86-513-8456999 fax: +86-513-84536318

NANTONG HENGHUI GLOVE Co. LTD.

Tonghu Road, Rudong New Development - Nantong City - Jiangsu Province CHINA

tel: + 86-513-8456999 fax: +86-513-84536318

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.

North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong China

tel: fax:

GLOVE DESCRIPTION

General glove description:

5 fingers knitted glove. White polyamid yarn, with Grey nitrile coating on the palm and fingertips. The overlock color indicate the size: T07-Red, T08-Blue, T09-Yellow, T10-White

type of coating finish: smooth

Visual description (picture back and palm sides) :



Field of use

mechanical

Automotive and Part Manufacturer, Aviation, Building and Construction, Energy or Electricity, Iron and steel industry, Maintenance, Metal steel, Minning and Quarrying, Petro-chemical, Services Ship Building, Telecoms, Transportation, Utilities, Water treatment, Wood Industries

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	V	Standard
			✓ Instruction for us
			✓ Marking
§1.4	Manufacturer's instructions and information is available	7	Standard
			✓ Instruction for us
			Marking Marking
	PPE which may be caught up during use	7	Standard
§2.5			✓ Instruction for us
			Marking Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standard
			✓ Instruction for us
			✓ Marking
§3.3	The PPE is intended to protect against mechanical injuries	7	✓ Standard
			Instruction for us
			✓ Marking

Available sizes:

Minimum length of glove (mm)	Sizes
230	07
240	08
250	09
260	10

Glove constitution:

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2915109	White	Polyamid yarn		13	
	2916149	Grey	Nitril smooth			0,8mm
Back	2915109	White	Polyamid yarn		13	
Lining	2915109	White	Polyamid yarn		13	
Cuff	2915109	White	Polyamid yarn		13	
	2915161	Natural	Rubber elastic		13	
Binding	2915151	Red/ Blue/ Yellow/ White/ Orange	PES			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity: 5 Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006

and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

[«] X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	L171020949_1 L171020950_1 L180305108_1	
EN 388	L170508448_1 L171020949_1 L180305108_1	
Other	L170508447_1 L171020950_1 L150609368_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference: 22 322 30

Article Code:

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

Marking example:



Address:

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Address has to be printed on back side of the gloves or on a label inside the gloves.

Method of marking on the glove :

Serigraphy

Packaging:

10 pairs per bundle, 10 bundles per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available on : www.honeywellsafety.com

MEANS OF CONTROL

	PU gloves	NBR/latex gloves	knitted gloves
abrasion	1/day	1/day	1/week
cut	1/batch	1/batch	1/week
tear	1/batch	1/batch	1/week
puncture	1/batch	1/batch	1/week
DMF	1/week(per line)		