

## **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/162/05/18/0799

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958

**ROISSY CDG CEDEX** 

France

Description

PPE Type: protective glove against mechanical risks

Product reference: 2232233

Glove description: 5 fingers knitted glove. Polyamid/cotton yarn, with Nitrile

coating on the palm eand fingertips. Rough finish + overlock,T06/Green, T07/Red, T08/Blue, T09/Yellow,

T10/White, T11/Orange

Available sizes: 06 07 08 09 10 11

Pictures:



## Honeywell

Polytril™

22 322 33 XX







#### ddress:

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Address has to be printed on back side of the gloves or on a label inside the gloves.

Reference standard:

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

4132X

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 03 dated from January, 2020

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by

Didier GUISADO

Directive 89/686/EEC.

Certification and Quality Manager

Guidad



Date of first issue: 04 May 2018 End of validity date: 04 May 2023

**Update 02:** 28 January 2020

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related

to Personal Protective Equipment and repealing the

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél.: +33 (0)4 72 76 10 10 - Fax: +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com







## **HONEYWELL SAFETY PRODUCTS EUROPE**

# MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : 2232233

Article code :

Technical file index : 03

Last update : January, 2020

## **IDENTIFICATION**

Reference of the product: : 2232233

Article code:

Basic Model

Technical file index: : 03

Last update: : January, 2020

### Manufacturer:

### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

tel: 01.49.90.79.79 fax: 01.49.90.79.80

#### **Factory:**

SPERIAN PERSONAL PROTECTIVE EQUIPMENT (Nantong) Co. LTD

Tonghu Road, Rudong Industrial New area - Nantong City - Jiangsu Province

#### **CHINA**

tel: +86-513-84569 fax: +86-513-845363

#### **ONWELL SUCCESS CORP**

2F, N°5, Lane 79, Mu-Hsin Road, sec 2 00000 TAIPEI

Taiwan

tel:

fax: 00 886 2 29378807

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.

North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong China

tel: fax:

## **GLOVE DESCRIPTION**

## **General glove description:**

5 fingers knitted glove. Polyamid/cotton yarn, with Nitrile coating on the palm eand fingertips. Rough finish + overlock, T06/Green, T07/Red, T08/Blue, T09/Yellow, T10/White, T11/Orange

type of coating finish: smooth

## Visual description (picture back and palm sides) :



## Field of use

mechanical

Industry, Automotive and Part Manufacturer, Aviation, Building and Construction, Iron and steel industry, Logistics, Maintenance, Metal steel, Paper Industries, Ship Building

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<b>V</b>	✓ Standard	
			✓ Instruction for use	
			✓ Marking	
§1.4	Manufacturer's instructions and information is available	7	Standar	
			✓ Instruction for use	
			Markin	
	PPE which may be caught up during use	<b>V</b>	Standar	
§2.5			✓ Instruction for use	
			Markin	
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standar	
§2.12			✓ Instruction for use	
			✓ Markin	
§3.3	The PPE is intended to protect against mechanical injuries	7	✓ Standar	
			✓ Instruction for use	
			✓ Markin	

## **Available sizes:**

Minimum length of glove (mm)	Sizes
220	06
230	07
240	08
250	09
260	10
270	11

## **Glove constitution:**

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2915130	Black	polyamide cotton yarn		10	
	2916161	Black	Nitrile coating non breathable			1,2-1,4mm
Back	2915130	Black	polyamide cotton yarn		10	
Cuff	2915130	Black	polyamide cotton yarn		10	
	2915164	Black	elastic yarn			
Binding	2915151	Green / Red / Blue / Yellow / White / Orange	PES			

## **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks.

It is a category II product.

## **GENERAL REQUIREMENTS**

## Standard EN 420 : 2003 + A1 : 2009

Dexterity: 5 Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### Mechanical hazard EN 388: 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	2
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

<sup>«</sup> X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## **TEST REPORTS**

Laboratory	CTC	Other
EN 420 + innocuousness	L170916634_1 L170916635_1 L150609368_1 L170407560 _1 L200100247_1	
EN 388	L170916634_1	

## **MARKING - PACKAGING**

## Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference: 2232233

Article Code : Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

## Marking example:



## Method of marking on the glove :

Tampography on the back of the glove

#### Packaging:

10 pairs per bundle, 10 bundles per box

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

### **Declaration of conformity:**

Available on : https://doc.honeywellsafety.com

# **MEANS OF CONTROL**

	PU gloves	NBR/latex gloves	knitted gloves
abrasion	1/day	1/day	1/week
cut	1/batch	1/batch	1/week
tear	1/batch	1/batch	1/week
puncture	1/batch	1/batch	1/week
DMF	1/week(per line)		