



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°**                    **0075/797/162/05/18/0827 EXT 01/05/18**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :**                    **HONEYWELL SAFETY PRODUCTS EUROPE**  
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958  
ROISSY CDG CEDEX  
France

**Description**


**PPE Type :**                         **protective glove against mechanical risks**

**Product reference :**            **2232272**

**Glove description :**            **Knitted black polyamid glove with 3/4 black Nitrile coating on the palm and fingers**  
**The overlock color indicate the size :T07-Red, T08-Blue, T09-Yellow, T10-White, T11 -orange**

**Available sizes :**                **7 08 09 10 11**

**Pictures :**



**Address:**  
HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison ZI-Paris Nord II  
33 Rue des Vanesses  
95 958 ROISSY CDG CEDEX  
France

Address has to be printed on back side of the gloves or on a label inside the gloves.

**Reference standard :**

**Levels of performance / class of protection**

**EN 420:2003+A1:2009**

-

**EN 388:2016**

**4 1 2 1 X**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

**At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)**

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 03 dated from January, 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**  
**Maxence DREVET**  
Project Certification Manager

**Date of first issue :** 09 May 2018  
**End of validity date :** 09 May 2023  
**Update 02 :** 14 January 2020



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Original CTC

## HONEYWELL SAFETY PRODUCTS EUROPE

# **MANUFACTURER'S TECHNICAL FILE TO THE** **PPE REGULATION 2016/425**

<b>Reference of the product</b>	<b>:</b>	<b>2232272</b>
<b>Article code</b>	<b>:</b>	
<b>Technical file index</b>	<b>:</b>	<b>03</b>
<b>Last update</b>	<b>:</b>	<b>January, 2020</b>

## IDENTIFICATION

Reference of the product : 2232272  
Article code :  
Minor Variant 2232270  
Technical file index : 03  
Last update : January, 2020

### **Manufacturer :**

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX

France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

### **Factory :**

SPERIAN PERSONAL PROTECTIVE EQUIPMENT (Nantong) Co. LTD

Tonghu Road, Rudong Industrial New area - Nantong City - Jiangsu Province

CHINA

tel: +86-513-84569

fax: +86-513-845363

Usine : Wuxi Taste Kenmost Gloves Co Ltd

Dangkou Town, Wuxi city, Jiangsu province

china

tel:

fax:

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.

North of Yalujiang Road, Rudong Economic Development Zone, Rudong, Nantong

China

tel:

fax:

## GLOVE DESCRIPTION

### General glove description :

Knitted black polyamid glove with 3/4 black Nitrile coating on the palm and fingers  
 The overlock color indicate the size :T07-Red, T08-Blue, T09-Yellow, T10-White, T11 -orange

type of coating finish : foam

### Visual description (picture back and palm sides) :



### Field of use

mechanical  
 Industry, Automotive and Part Manufacturer, Aviation  
 Logistics, Maintenance, Transportation

#### Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

### Available sizes :

Minimum length of glove (mm)	Sizes
230	7
240	08
250	09
260	10
270	11

## Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2915102	Black	Polyamid yarn		13	
	2916142	Black	Nitril foam			1,05mm
Back	2915102	Black	Polyamid yarn		13	
Cuff	2915102	Black	Polyamid yarn		13	
	2915163	Black	Elastic Rubber		13	
Binding	2915151	red / blue / yellow / white / orange	PES			

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	L171020951_2 L191225065_1 L170407474_1 L150609368_1 L190304846_1 L181122679_1	
EN 388	L170407473_1 L180100773_1 L151016656_1	

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo

Glove's reference : 2232272

Article Code :

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### Marking example :



### Method of marking on the glove :

Tampography

### Packaging :

10 pairs per bundle, 10 bundles per box

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Declaration of conformity :

Available on : <https://doc.honeywellsafety.com>

## MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1  
Major defects : NQA = 1,5 / Minor defects : NQA = 10.

<b>Sampling Plan</b>		<b>Quantity of acceptable defects</b>	
<i>Lot Quantity</i>	<i>Sample quantity</i>	<i>Minor Defects</i>	<i>Major Defects</i>
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5