



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° **0075/797/162/03/19/0948 EXT 01/03/19**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **HONEYWELL SAFETY PRODUCTS EUROPE**
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958
ROISSY CDG CEDEX
France

Description


PPE Type : **protective glove against chemical risks , microorganisms risks**

Product reference : **4580121**

Glove description : **5 fingers glove, natural latex powde free**

Available sizes : **07 - S 08 - M 09 - L 10 - XL**

Pictures :



Address:
HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II
33 Rue des Vanesses
95 958 ROISSY CDG CEDEX
France

Address has to be printed on back side of the gloves or on a label inside the gloves.

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN ISO 374-5:2016

MICRO-ORGANISMS

EN ISO 374-1:2016 / A1:2018

Type C

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (VIPO 2369)

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 03 dated from July, 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification and Quality Manager

Date of first issue : 25 March 2019
End of validity date : 25 March 2024
Update 02 : 21 July 2021



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	4580121
Article code	:	
Technical file index	:	03
Last update	:	July, 2021

IDENTIFICATION

Reference of the product : 4580121
Article code :
Minor Variant 4580021
Technical file index : 03
Last update : July, 2021

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX

France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

Factory :

SafeMed Pro Ltd

Thunstrasse 29 3005 Bern

Suisse

tel: 41 31 819 24 67

fax: 41 31 819 11 54

Kossan Rubber – SafeMed Industries Bhd.

Wisma Kossan, Lot 782 - Jalan Sungai Putus, Off Batu 3 3/4 - Jalan Kapar, 42100
Malaysia

tel: +603-3291 2657

fax: +603-3291 2903

GLOVE DESCRIPTION

General glove description :

5 fingers glove, natural latex powder free
type of coating finish : no coating

Visual description (picture back and palm sides) :



Field of use

Low Chemical risks, Micro-organism

Automotive and Part Manufacturer, Aviation, Catering, Chemical Industries, Food Industries, Industrial Cleaning, Laboratory, Maintenance, Medical and Pharmaceutical, Petro-chemical, Printing Industries, Water treatment

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)		
	Applicable	Covered by
§1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.10.2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
240	07 - S
250	08 - M
255	09 - L
260	10 - XL

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2916201	Natural	latex			0,08 mm
Back	2916201	Natural	latex			0,08 mm
Cuff	2916201	Natural	latex			0,08 mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against chemical risks , microorganisms risks and other risks.

It is a category III product, module C2

Notified Body Reference : VIPO (2369)

Gen. Svobodu 1069/4, 958 01 Partizanske, Slovakia

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Chemical hazard EN 374-2 : 2014

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Chemical hazard EN ISO 374-1 : 2016 / A1 : 2018

Type :	Type C
---------------	--------

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
Sodium hydroxide 40%	1310-73-2	K	3	-39,6%
Hydrogen peroxide 30%	7722-84-1	P	5	-6,4%

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism
Uncontrolled against viruses


TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	L190304317_1 L181122964_1	
EN 388	L180101512_1	
EN 374-2	L180101512_1	
EN 16523-1	L180101514_1 L180101515_1 L200812986_1	
Other	L180101513_1	4010/4198 rev1 <input type="checkbox"/>

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 4580121

Article Code :

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Address:

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II
33 Rue des Vanesses
95 958 ROISSY CDG CEDEX
France



Address has to be printed on back side
of the gloves or on a label inside the
gloves.

Method of marking on the glove :

Marking on the box

Packaging :

The carton contains 10 boxes of 100 gloves, so 1000 gloves per

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : <https://doc.honeywellsafety.com/>

MEANS OF CONTROL

Final Inspection : in accordance to ISO 2859 level 2.

Major defects : NQA = 0,65 / Minor defects : NQA = 0,65.

Sampling Plan		Quantity of acceptable defects	
Lot Quantity	Sample Quantity	Minor Defects	Major Defects
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5