



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/162/03/19/0977

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958
ROISSY CDG CEDEX
France

Description


PPE Type : *protective glove against mechanical risks*

Product reference : 2397201

Glove description : 5 Fingers glove : knitted fabric / coated fabric. Elastic on the wrist. PVC lavel on the cuff : T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11-orange

Available sizes : 06 07 08 09 10 11

Pictures :



Address:
HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II
33 Rue des Vanesses
95 958 ROISSY CDG CEDEX
France

Address has to be printed on back side of the gloves or on a label inside the gloves.

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016

4 X 4 3 E

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 03 dated from January, 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 27 March 2019
End of validity date : 27 March 2024
Update 02 : 15 January 2020



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726



Original CTC

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	2397201
Article code	:	
Technical file index	:	03
Last update	:	January, 2020

IDENTIFICATION

Reference of the product : : 2397201
Article code : :
Basic Model
Technical file index : : 03
Last update : : January, 2020

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG
CEDEX

France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

Factory :

Sperian Protection Gloves Morocco (SOFRACUIR)

Rue EL HAWZA OUKACHA CASABLANCA

MAROCCO

tel:

fax:

GLOVE DESCRIPTION

General glove description :

5 Fingers glove : knitted fabric / coated fabric. Elastic on the wrist. PVC lavel on the cuff : T06-green, T07-red, T08-blue, T09-yellow, T10-white, T11-orange
 type of coating finish : smooth

Visual description (picture back and palm sides) :



Field of use

mechanical
 admin, utilities and services

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
220	06
230	07
240	08
250	09
260	10
270	11

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	3000024	Black	knitted coated fabric (PU/ polyamide)	410g/m ² ±30g		0.5/0.7mm
	3000025	Black	knitted coated fabric (PU/ polyamide)	375g/m ² ±30g		0.9mm
Back	3000026	Black	knitted fabric (polyester / elastanne)	260g/m ² ±30g		1,5 / 1,6mm
	3000027	Black	Black microfiber (Polyamide / PU)	328g/m ² ±30g		0.8mm
Lining	3000022	Grey	knitted fabric (Polyester/ viscose outlast)	150g/m ² ±30g		0.3/0.4 mm
	3000023	Gray/ Yellow	Coated fabric (Para amide/ PU)	400g/m ² ±30g		0.4mm
Cuff	3000035	Black	Polyamide / Elastanne			1.3/2mm
	3000028	green, red ,blue, yellow, white, orange	PVC label			1.5mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	E
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.


TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	L160101413_1 L160101417_1 L191225069_1	
EN 388	L160101413_1	
Other		SPC0280038/911/2

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 2397201

Article Code :

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Address:

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison ZI-Paris Nord II
33 Rue des Vanesses
95 958 ROISSY CDG CEDEX
France



Address has to be printed on back side
of the gloves or on a label inside the
gloves.

Method of marking on the glove :

label sewn

Packaging :

10 pairs per bundle, 10 bundles per box

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : <https://doc.honeywellsafety.com/>

MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1
Major defects : NQA = 1,5 / Minor defects : NQA = 10.

Sampling Plan		Quantity of acceptable defects	
Lot Quantity	Sample quantity	Minor Defects	Major Defects
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5