

# **EU-TYPE EXAMINATION CERTIFICATE**



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/162/04/19/1126

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958

ROISSY CDG CEDEX

France

**Description** 

PPE Type: protective glove against mechanical risks, chemical risks,

microorganisms risks

Product reference: 2008010

Glove description: 5 finger chemical glove, 100% Butyl.

Available sizes : 08 09 10 11

**Pictures:** 





20 080 10 X







#### Address:

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Address has to be printed on back side of the gloves or on a label inside the

Reference standard:

Levels of performance / class of protection

EN 420:2003 + A1:2009

EN 388:2016 + A1:2018

2121X

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

EN ISO 374-5:2016

**MICRO-ORGANISMS** 

EN ISO 374-1:2016 / A1:2018

Type A ABCIKL

This product is a category III (letal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (VIPO 2369)

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 02 dated from June, 2021

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Didier GUISADO

MARKIN

Certification and Quality Manager

PET NB 0075

Date of first issue: 11 April 2019 End of validity date: 11 April 2024 Update 01: 21 June 2021

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



#### HONEYWELL SAFETY PRODUCTS EUROPE

# MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : 2008010

Article code :

Technical file index : 02

Last update : June, 2021

# **IDENTIFICATION**

Reference of the product: : 2008010

Article code:

**Basic Model** 

Technical file index: : 02

Last update: : June, 2021

#### Manufacturer:

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

#### France

tel: 01.49.90.79.79 fax: 01.49.90.79.80

#### Factory:

KCL by Honeywell

Magyarorszag Kft., Endre ucta 14-16 - 1102 BUDAPEST

#### **HUNGARY**

tel: +3612610610 fax: +3612628120

# **GLOVE DESCRIPTION**

# **General glove description:**

5 finger chemical glove, 100% Butyl.

type of coating finish: no coating

## Visual description (picture back and palm sides):



# Field of use

Mechanical risks, High Chemical risks Offshore, Petro-chemical, Water treatment

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by		
§1	Requirements defined in the Annex II §1 are applicable to all PPE	V	✓ Standard ✓ Instruction for use ✓ Marking		
§1.4	Manufacturer's instructions and information is available	<b>V</b>	Standard Instruction for use Marking		
<b>§2.5</b>	PPE which may be caught up during use	<b>V</b>	Standard Instruction for use Marking		
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	✓	✓ Standard ✓ Instruction for use ✓ Marking		
§2.14	Multi-risk PPE	<b>V</b>	✓ Standard ✓ Instruction for use ✓ Marking		
§3.3	The PPE is intended to protect against mechanical injuries	<b>J</b>	✓ Standard ✓ Instruction for use ✓ Marking		
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	<b>V</b>	✓ Standard ✓ Instruction for use ✓ Marking		

#### Available sizes:

Minimum length of glove (mm) Minimum width of glove (mm)	Sizes
350 / 105	08
350 / 115	09
350 / 120	10
350 / 140	11

## **Glove constitution:**

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2930411	Black	Butyl			0,60mm
Back	2930411	Black	Butyl			0,60mm
Cuff	2930411	Black	Butyl			0,60mm

# **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks, chemical risks, microorganisms risks.

It is a category III product, module C2

Notified Body Reference: VIPO (2369)

Gen. Svobodu 1069/4, 958 01 Partizanske, Slovakia

#### **GENERAL REQUIREMENTS**

#### Standard EN 420: 2003 + A1: 2009

Dexterity: 5

Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

## Mechanical hazard EN 388: 2016 + A1: 2018

Protection offered	Performance levels	
Abrasion resistance	2	
Blade cut resistance	1	
Tear strength resistance	2	
Puncture resistance	1	
Cut Resistance method (EN ISO 13997)	X	
Impact Protection	-	

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

#### Chemical hazard EN 374-2: 2014

Protection offered	Performance levels	
Water tightness	conform	
Air tightness	conform	

## Chemical hazard EN ISO 374-1: 2016 / A1: 2018

	-
T	Type A
Type:	I I ype A
. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	. 71

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
Methanol	67-56-1	Α	6	-0,1%
Acetone	67-64-1	В	6	-5,3%
Acetonitrile	75-05-8	С	6	7,7%
Ethyl acetate	141-78-6	I	5	6,8%
Sodium hydroxide 40%	1310-73-2	K	6	-10,9%
Sulphuric acid 96%	7664-93-9	Ĺ	6	22,6%

## Microorganism EN ISO 374-5: 2016

This glove protect against microorganism Uncontrolled against viruses

## **TEST REPORTS**

Laboratory	CTC	Other
EN 420 + innocuousness	L170815844_1	
EN 388	L170815844_1	
EN 374-2	L170815844_1	
EN 16523-1	L180815580_1 L180101413_1 L180815579_1 L180101414_1	
Other	L180101412_1	

# **MARKING - PACKAGING**

#### Information printed on the glove:

Logo of Manufacturer:

Logo (€

Glove's reference: 2008010

Article Code : Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

## Marking example:



#### Address:

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33 Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Address has to be printed on back side of the gloves or on a label inside the gloves.

# Method of marking on the glove:

inkjet

#### Packaging:

10 pairs per bundle, 5 bundles per box

# PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

## **Declaration of conformity:**

Available on : https://doc.honeywellsafety.com/

# **MEANS OF CONTROL**

Final inspection plan : in accordance to ISO 2859 level 1 Major defects : NQA = 1,5 / Minor defects : NQA = 10.

Sampli	ing Plan	Quantity of acceptable defects		
Lot Quantity	Sample quantity	Minor Defects	Major Defects	
110 to 200	D8	2	0	
201 to 500	F 20	5	1	
501 to 1200	G 30	7	1	
1201 to 10000	J 80	14	3	
10000	K 125	21	5	