

Honeywell V-Maxx

A sporty style goggle for increased wearer acceptance.

DESCRIPTION

Ideal for a wide variety of workers, these Honeywell V-Maxx unvented safety goggles feature a pivoting head strap so you can find a great fit while staying protected from impact, liquids and dust particles. They're also compatible with prescription glasses and half-face respirators so that you don't have to compromise on personal protection.



RECOMMENDED INDUSTRIES

Chemical, Construction, Manufacturing, Welding

APPLICATIONS

Abrasion, General maintenance wet and dry material handling, warehouse operations, automotive assembly

HAZARDS

Abrasion, Airborne Particulates, Biohazard, Chemical, Gas, Vapors, Smoke, Impact, Low Visibility, Splash

KEY FEATURES

- Sleek wrap-around styling for a 180 degree, clear field of vision
- Direct and indirect ventilation styles available for impact or splash applications
- Adjustable elastic or neoprene headband
- Pivoting headband clips to adjust straps around hard hats or hearing protection
- Peel-off goggle covers available to extend the life of the lens
- Can be worn over most prescription eyewear (OTG compatible)
- Available in 3.0 and 5.0 welding shades
- Available with scratch-resistant hardcoating or optional Fog-Ban anti-fog coating

For more information

www.sps.honeywell.com

Honeywell Safety and Productivity Solutions

300 S Tryon St Suite 500

Charlotte, NC 28202

800-582-4263

www.honeywell.com

Technical Data Sheet/v1/2022

Honeywell

PRODUCT NUMBERS & ORDERING INFORMATION

SKU	PICTURE	DETAILS
1006192		Indirect Vent, Elastic Headband Clear Body, Clear Polycarbonate Lens, Anti-scratch Coating
1006193		Indirect Vent, Elastic Headband Clear Body, Clear Polycarbonate Lens, Fog-Ban Anti-fog Coating
1006194		Indirect Vent, Neoprene Headband Clear Body, Clear Polycarbonate Lens, Fog-Ban Anti-fog Coating
1006195		Closed Vent, Elastic Headband Clear Body, Clear Polycarbonate Lens, Fog-Ban Anti-fog Coating
1006196		Closed Vent, Foam Elastic Headband Clear Body, Clear Polycarbonate Lens, Fog-Ban Anti-fog Coating
1007506		Indirect Vent, Neoprene Headband Clear Body, Clear Acetate Lens, Fog-Ban Anti-fog Coating
1008111		Indirect Vent, Elastic Headband Black Body, IR/PC 5.0 Lens, Anti-scratch Coating

SPECIFICATIONS

Lens Material	Polycarbonate & Acetate
Lens Overall Width	170mm
Lens Coating	Fog-Ban® anti-fog coating, Hardcoat
Lens Thickness	2.1mm
Available Lens Tints	Clear, IR/PC 3.0
Replacement Lenses Available (Yes/No)	No
Rx Capable	Can be worn over most prescription eyewear
Goggle Weight	101 grams
Goggle Body	Polyurethane
Available Headband Material	Neoprene or Elastic Headband
Available Headband Colors	Black, Red

Dielectric Frame (Yes/No)	Yes
Packaging	1/polybag, 10 pr./stocker, 200 pr./case or 10 pr./polybag
Country of Origin	China
Side Shield Material	N/A
MSDS Requirements	None
WHMIS Requirements	None
Harmonization Code	9004.90.0000
Ventilation	Indirect & No Vent
Lens Protectors	Available

For more information

www.sps.honeywell.com

Honeywell Safety and Productivity Solutions

300 S Tryon St Suite 500

Charlotte, NC 28202

800-582-4263

www.honeywell.com

Technical Data Sheet/v1/2022



REGULATIONS

- ANSI Z87+ - ANSI Z87+ (High Impact) standard
- ANSI Z87.1-1989/CA 21,194 - Meets ANSI Z87.1-1989/CA 21,194
- CSA Z94.3 - Tested by Honeywell to meet the requirements of the CSA Z94.3 standard
- EC Category PPE, Standards EN 166/EN 175, European Directives 89/686/EEC, ISO 9001/2000, Optical Class I, Impact Grade B (High speed particles, medium energy) and F (Height speed particles, low energy), 3 (protection against splashes of liquid), 4 (protection against large dust particles), 5 (protection against gases and fine dust particles), 9 (protection against molten metals and hot solids)

TECHNICAL SUPPORT

France : info-france.hsp@honeywell.com
Export : info-export.hsp@honeywell.com
Belgium, Luxembourg, netherlands : info-benelux.hsp@honeywell.com
Germany, Austria, Switzerland : info-germany.hsp@honeywell.com
Italy : info-italia.hsp@honeywell.com
United Kingdom, Middle East & SouthernAfricaBranch : info-uk.hsp@honeywell.com
Spain, Portugal : info-spain.hsp@honeywell.com
Sweden, Denmark, Finland, Iceland, Norway : info-nordic.hsp@honeywell.com
Estonia, Latvia, Lithuania : info-nordic.hsp@honeywell.com
Russia : info-russia.hsp@honeywell.com
Hungary : info-hungary.hsp@honeywell.com
Poland : info-poland.hsp@honeywell.com

TRAINING AND PROPER USE

All products come packaged with instructions and warnings for proper use.

For more information

www.sps.honeywell.com

Honeywell Safety and Productivity Solutions

300 S Tryon St Suite 500

Charlotte, NC 28202

800-582-4263

www.honeywell.com

Technical Data Sheet/v1/2022

Honeywell