

3F, Building Block 2, No. 3400 Gonghexin Road,
Jing'an District - Shanghai 200436, P.R. CHINA
上海市静安区共和新路3400号2幢3层
Tél. : +86 21 68 55 50 32
Fax : +86 21 68 55 50 33
E-mail : ctcshanghai@ctcgroupe.com

Report No.: S191215874_1

16 December 2019

APPLICANT: WONDER GRIP (CHINA) CO., LTD 世目特种防护用品科技（江苏）有限公司 (C00698)
NO. 1 SHIMU AVENUE, ANNAN INDUSTRIAL PACK, NAN SHENZAO TOWN, DONGTAI CITY
. JIANGSU
CHINA

杜从坤 / shimu_du@163.com

Date of receipt : 06 Dec. 2019
Testing period : 10 Dec. 2019
: 13 Dec. 2019

Buyer: ---

Style / Article no. : WG518W
Test(s) requested : ---
Service : REGULAR
Brand / Section : ---
Season : ---
End use : ---
Factory name : ---
Factory code : ---

For CE Marking : Yes


Previous report : ---
Product category : ---
Product type : ---
Test stage : FIRST TEST
Supplier name : ---
Exported to : ---

1. Conclusion:

	Tests description	Conformity
	EN 407	
1	Contact heat	Level 1

Pass: requirements met Fail: requirements not met None: no requirement for this test N/A: not applicable

Approved by



Henry YAN
Laboratory Manager



Report No.: S191215874_1

16 December 2019

APPLICANT: WONDER GRIP(CHINA) CO.,LTD 世目特种防护用品科技（江苏）有限公司（C00698）

2. Sample(s) description assigned by laboratory:

<u>Size</u>	<u>Analyzed product</u>	<u>Description</u>	<u>Sample information</u>
	GLOVE	palm	



191215874



Report No.: S191215874_1

16 December 2019

APPLICANT: WONDER GRIP(CHINA) CO.,LTD 世目特种防护用品科技(江苏)有限公司 (C00698)

3. GLOVE/

palm

	Method	Client Requirement	Unit	Result	Conformity
▲ 5.2. Contact heat	EN 407 : 2004				
Threshold time at 100 °C			Seconds	30.4	
Threshold time at 100 °C (2)			Seconds	30.4	
Threshold time at 100 °C (3)			Seconds	31.5	
Average at 100 °C			Seconds	31	
Threshold time at 250 °C			Seconds	11.9	
Threshold time at 250 °C (2)			Seconds	10.5	
Threshold time at 250 °C (3)			Seconds	12.3	
Average at 250 °C			Seconds	12	
Performance level				Level 1	

END OF TEST REPORT

▲: The test was carried out by external accredited laboratory under their accreditation scope.

Table of Performance Level for Glove

Test Item	Performance Level					
	0 ^{##}	1	2	3	4	5
Contact heat (EN 407)						
Contact temperature Tc (°C)	---	100	250	350	500	---
Threshold time tt (s)	---	>=15	>=15	>=15	>=15	---

Performance level 0 means the glove falls below the minimum performance level for the given individual hazard

