



ARTIKEL-NUMMER: SA40620  
SA 40620

**Honeywell**

## Überblick

**Artikelnummer**

SA40620

**Programm**

Hitze- und Kälteschutz

**Produktlinie**

Hitze

**Marke**

Honeywell

**Marke vorher bekannt als**

SPERIAN

**Branche**

- Hüttenwerke
- Glasindustrie
- Eisen- und Stahlindustrie
- Industrie allgemein

**Produktverwendung**

Umgang mit heißen Teilen bis 450° C. Kurze Kontakte bis 600° C.  
Entformung, Gießereien, Metall- und Stahlindustrie, Glasindustrie, Aluminiumguss.

## Eigenschaften und Nutzen

**Funktion**

Bouclé-Fausthandschuh aus nicht entflammarem Para-Aramid. 1. Futterschicht aus Kermel®-Filz. 2. Futterschicht aus Wollgewebe. 3. Futterschicht aus Baumwollfleece. Beidhändig tragbar. Länge: 40 cm.

**Nutzen**

**Komfort** Das Baumwollfleece-Futter nimmt Handschweiß auf und bietet somit besseren Komfort. Widerstandsfähigkeit Die im Bouclé eingeschlossene Luft erhöht die isolierenden Eigenschaften des Handschuhs. Die Futterschichten aus Kermel-Wolle und Fleece-Jersey verbessern die Hitzeisolierung und den Komfort des Benutzers. Alle Nähte, die mit einer Wärmequelle in Kontakt kommen können, sind aus nicht entflammarem Para-Aramid, um einen effizienten Hitzeschutz zu gewährleisten. **Sicherheit** Die Stulpe schützt einen großen Teil des Unterarms vor mechanischen Gefahren.

## Technische Beschreibung

### Beschreibung

Bouclé-Fausthandschuh aus nicht entflammbarem Para-Aramid. 1. Futterschicht: Kermel®-Filz. 2. Futterschicht: Wollgewebe. 3. Futterschicht: Baumwollfleece. Beidhändig tragbar.

### Produkttechnologie

Kombiniert/genäht

### Länge

40 cm

### Unbedenklichkeit

In Übereinstimmung mit den Europäischen Normen

### EN 407 - Hitze und/oder Feuer

Verhalten und/oder Feuer	4
Beständigkeit gegen Kontakthitze	4
Beständigkeit gegen Konvektionshitze	4
Beständigkeit gegen Strahlungshitze	4
Beständigkeit gegen kleine Metallspritzer	4
Beständigkeit gegen Spritzer geschmolzenen Metalls	X

### EN 388 - Mechanische Gefahren und Abriebfestigkeit

Abriebfestigkeit	2
Schnittbeständigkeit (Coupe-Test)	0
Reißfestigkeit	4
Durchstichfestigkeit	3

## Zertifizierungen

### EU-Konformitätserklärung

### EG-Kategorie PSA

2

### EG-Zertifizierungsnummer

0075/797/162/09/08/0332

### EG-Baumusterprüfbescheinigung

EC Attestation

### Nr. EG-Baumusterprüfbescheinigung

0075/797/162/09/08/0332

## Zusätzliche Informationen

### Benutzerhandbuch

UI 106

### Benutzerinformationen

106

## Wartung und Instandhaltung

### **Pflegeanleitung**

Damit dieser Artikel seine Eigenschaften behält, sollte er nicht gereinigt werden.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/09/08/0332

To the following model of personal protective equipment :

- \* protective glove against mechanical risks, thermal risks.
- \* reference of the model : SA40620
- \* responsible for placing on the market :

### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on September 5th, 2008

Update 01 of July 5th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : SA40620

Basic Model

Dated : JUNE, 2012

Fireproof para-aramid terry mitten, 1st liner in Kermel, 2nd line in wool, 3rd liner in cotton. Ambidextrious.

### Available sizes :

TU

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	Natural	terry para-aramid		
BACK	Natural	terry para-aramid		
LINING	Natural	Kermel/Viscose		
	Natural	Wool brushed		
	Natural	Cotton fleece		
CUFF				
BINDING	Brown	100% cotton		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 407:2004 - Protective gloves against thermal risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1205-7574/1	1205-7574/1
Azo		1205-7574/1	
EN 388		1205-7574/1	
EN 407		1006-7952F 0706-6967/AR	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	5	4	3

The levels of performance have been measured on the palm

**Performance levels offered against thermal risks (EN 407:2004) are:**

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
4	4	4	4	4	x


« X » means that the test hasn't been performed ; no protection is required

### 3. MARKING

Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: SA40620
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for thermal risks followed by the performance levels
- \* information pictogram

Marking example:





# EU-Konformitätserklärung

**Der Hersteller oder sein in der EU als gesetzlicher Vertreter handelnder Lieferant:**

Honeywell Safety Products Europe

**Erklärt, dass die im Folgenden beschriebene Persönliche Schutzausrüstung die Richtlinien der Direktive des Europäischen Rates erfüllt 89/686/CEE:**

Bezeichnung: SA 40620

Referenz: SA40620

Standard(s): EN 388, EN 407

**Für diese PSA gilt die folgende EU-Prüfbescheinigung Nr.:**

0075/797/162/09/08/0332

**Ausgestellt von:**

IFTH - Institut Français Textile-Habillement

Avenue Guy de Collongue

BP 60

69134 ECULLY CEDEX

France

Ort, Datum: Lyon, 11/07/2018

**Ausgestellt von:** Fabrice beaugeard

**Abteilung:** Handschuhe

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 55288 Villepinte - 95880 ROISSY CDG CEDEX  
SAS au capital de 1000000000 - RCS 952 307 00137  
Tel: +331 4990 7979 Fax: +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)